



Reference:
1. Cable tie min loop tensile strength 225 newtons (50 lbf)

Notes:
Material: PA 66
Steel metal thickness range: 0.75 - 6mm
Applicable hole size: $\text{Ø}6.5 \sim \text{Ø}7\text{mm}$

A	B	G
1.2 ± 0.2	4.6 ± 0.2	160 ± 12

Revision Level			Revision Record	
Drawing	State	Part	ECN #SG08022-03	
00.0	Released	.	1. Amend hole size from $\text{Ø}6.5 \sim \text{Ø}7.1$ to $\text{Ø}6.5 \sim \text{Ø}7\text{mm}$ cross-reference with 14.1578.	
Changed	Date (YYYY/MM/DD)		2. Change to GS2 drawing template.	
Simon Ng	2021/01/29			
Approved	Date (YYYY/MM/DD)			
Edward Tan	2021/01/29			



All drawing revisions are stored in CAD PDM database

The copyright of this drawing is reserved by HellermannTyton.

Drawn	Date (YYYY/MM/DD)
Mandy Ong	2008/09/01
Approved	Date (YYYY/MM/DD)
Edward Tan	2008/09/01

HellermannTyton
www.HellermannTyton.com

Title		Scale
T50SFT6LG		1 : 1
Drawing-No		Global Project Number
96-0310-012-CSH		96-0310
		Format
		A4
		Sheet
		1 / 1